

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
K0070639	CENTER & MID	HF Park	HPS	5800	yes	no	light	no	yes	no	no	yellow	average	yes	yes	yes	no	no		Center and Middle st	light wanted		
K0070664	CENTER & SOU	HF Park	HPS	5800	yes	no	light	no	yes	no	no		too bright	yes	yes	yes	no			Center and South st	light wanted		
K0070654	CENTER RD	HF Park	MV	7000	yes	no	light	no	yes	no	yes		too bright	yes	yes	yes	no			Center & Park	light wanted		
K0070658	CENTER ST	HF Park	HPS	5800	no	no	light	no	no	no	yes		average	no		no	yes			Center		yes	
K0070647	EAST RD	HF Park	HPS	5800	no	no	light	no	yes	no	no		average	no		yes	no			E Circle	light wanted		
K0070650	EAST RD	HF Park	HPS	5800	no	no	light	no	yes	no	no		too bright	yes		yes				East rd	light wanted		
K0070659	MEADOW CT	HF Park	MV	7000	yes	no	light	no	yes	no	yes		too bright	yes		yes	no			Center and Meadow	light wanted		
K0070643	MIDDLE & EAS	HF Park	HPS	5800	yes	no	light	no	yes	no	no		average	no		yes	no			Middle and East	light wanted		
K0069239	MOSSY BRK	HF Park	HPS	5800	yes	no	light	no	yes	no	no		average	yes		yes	no			Mossy Brook & South			
K0026296	BRUCEVILLE R	High Falls	HPS	5800	no	no	light	no	yes	no	yes	pink-orange	average	yes	no	yes	yes	no	no need for this light at this location				
K0047723	OLD RT	High Falls	HPS	5800	no	no	light	no	yes	no	yes	pink-orange	average	yes	yes	yes	yes	no	Height and spread of light is very intrusive to surrounding homes 2nd story windows.				
K0047719	OLD RT	High Falls	HPS	5800	intersection	no	average	no	yes	no	yes	pink-orange	average	no	yes	yes	no	no					
K0047724	OLD RT	High Falls	HPS	5800	intersection	no	light	no	yes	no	yes	pink-orange	too bright	yes	yes	yes	no	no	Overly bright - reduces contrast of car headlights as ambient is so high with this light. Height and spread shine in surrounding home's windows.				
168086	OLD RT 213	High Falls	HPS	5800	sharp curve	no	average	yes	yes	no	no	pink-orange	average	yes	yes	yes	no	no	somewhat intrusive to nearby homes				
K002066	RT 213	High Falls	HPS	5800	no	no	average	no	yes	no	yes	pink-orange	average	yes	yes	yes	yes	no	does not add to night time safety in this location				
178177	CREEK LOCKS	PRIVATE?			no	no	light	yes	no	no	yes	yellow/white	too bright	no	yes	yes	yes	no	I think there is enough ambient light already in parking lot of carpet store. eliminate	parking lot of carpet store.		yes	
K52810	32/Dewitt Lk	TwN Chg	HPS	27000	intersection	no	heavy	no	yes	no	no	white	average	no	yes	yes	no	no					

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
168059	32/grove st	TwN Chg	HPS	27000	yes	no	heavy	yes	yes	no	no	yellow/white	average	no	yes	yes	no	no	at Pro Build (Rowley Lumber)				
UH0001393	32/Maple Hill	TwN Chg	HPS	27000	intersection	no	heavy	no	yes	no	no	yellow/white	average	no	yes	yes	no	no					
K0070575	32/Maple Hill	TwN Chg	HPS	27000	yes	no	heavy								yes	no							
K0070575	32/maple hill	TwN Chg	HPS	27000															may be the same as next, UH1393 not on pole				
131711	32/Taylor St	TwN Chg	HPS	27000	intersection	no	heavy	no	yes	no	no	yellow/white	average	no	yes	yes	no	no		Safety:FD entry to 32			
181526	BASKETBALL/R	TwN Chg	HPS	50000																			
181525	BASKETBALL/R	TwN Chg	HPS	50000																			
K107757	beyersdorfer/32	TwN Chg	HPS	16000	intersection	no	average	no	yes	no	no	yellow/white	too bright	no	yes	yes	no						
116347	BINNEWATER Church	TwN Chg	HPS	5800	no	no	heavy	no		no	no	orange-yellow	average	yes	no	yes	yes	no	no residential neighbors. Need to determine if church is still operating.	by church		inquire with church	
131791	St/Taylor St	TwN Chg	HPS	27000	intersection	no	light	no	yes	no	yes	yellow	too bright	ye	no	yes	no	no	reduce brightness				
116001	COTTEKILL 4	TwN Chg	HPS	27000	intersection	no	average	no	yes	no	no	yellow	average	no	yes	yes	no	no	unable to verify # covered with poison ivy	at cottekill deli and post office			
123363	COUTANT RD	TwN Chg	HPS	5800	no	no	light	no	yes	no	no	yellow/white				yes	yes	no	move to Gristmill			yes	
K0029232	CREEK LOCKS	TwN Chg	HPS	5800	no	no	light	yes	no	no	yes	yellow/white	too bright	no	yes	yes	no						
178182	CREEK LOCKS	TwN Chg	HPS	5800	no	no	light	yes	yes	no	no	yellow/white	average	no	yes	yes	hold		little league				
119878	CREEKS LOCKS	TwN Chg	HPS	5800	no	no	light	yes	no	no	yes	yellow/white	too bright	no	yes	yes	no	no		at villa bianco			
178178	CREEKS LOCKS	TwN Chg	HPS	5800	no	no	light	yes	no	no	yes	yellow/white	average		yes	yes	no	no	move over to sewer plant to 178179 with hydrant	at sewer plant			
102547	CREEKS LOCKS	TwN Chg	MV	15000	intersection	no	average	no	yes	no	no	white	too bright	no	yes	yes	no	no	lens is broken/effecting light dispersion	at main street			
178180	CREEKS LOCKS	TwN Chg	HPS	5800	no	no	light	yes	yes	no	no	yellow/white	average	no	yes	yes	hold	no	little league	at salt shed			
128813	LONGY	TwN Chg	MV	7000	sharp curve	no	light	no	yes	no	yes	white	bright	yes	yes	yes	no	no					
103250	Elting Rd	TwN Chg	MV	7000	no	no	light	no	no	no	yes	white			no	yes	yes	no	eliminate	road	adamant - keep	no	

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?	
CP0111111	FLAG/MEMORIAL	Twn Chg	HPS	27000	no	yes	light	yes	yes	no	yes			no	n	no	no	no	no numeric found..bulb is blown..can be lower wattage I believe	at the base of the flag main at greenkill				
119207	GREENKILL RD	Twn Chg	HPS	50000	intersection	no	light	no	yes	no	yes	white	too bright	no	yes	yes	no	no		at greenkill				
K119102	HICKORY BUSH	Twn Chg	HPS	27000	intersection	no	average	no	yes	no	yes	yellow/white	too bright	yes	yes	yes	no	no	reduce brightness	kallops corners				
123391	HICKORY BUSH	Twn Chg	HPS	27000	intersection	no	light	no	yes	no	no	not working	average	no	yes	no	no		cycles on and off..needs repair	hickory bush at breezy hill				
123504	James and John sts	Twn Chg			intersection	yes	average	no	yes	no					yes	no		JM-not on list but on map						
168052	JAMES ST	Twn Chg	HPS	5800	no	yes	average	no	no	no	no				yes	yes	no							
32695	Jolene	Twn Chg	HPS	5800	no	no	light	no	no	no	yes	yellow/white			yes	yes	yes	no	eliminate/at end of dead end at vacant/private storage					
116044	KEATORS CORN	Twn Chg	HPS	27000																				
K0072750	LINWOOD DRIVE	Twn Chg	MV	7000	intersection	no	light	no	yes	no	no	yellow/white	too bright	no	no	yes	no	no		church st at linwood				
128813	LONGYEAR/DEYO	Twn Chg	MV	7000	sharp curve	no	light	no	yes	no	yes	YELL OW/w hite	too bright	yes	yes	yes	no		same as entry #13					
K0070574	LUCAS TPKE	Twn Chg	HPS	27000	intersection	no	heavy	no	yes	no	yes	whitish-pink	average	no	no	yes	no	no		at Binnewater				
k19304	Lwr James/Ann	Twn Chg	HPS	5800	intersection	no	light	no								no	no			Ann & Lower James Street	Not available	Possible	Need to discuss with neighbors	
k19302	Lwr James/Jolene	Twn Chg	HPS	5800	intersection	no	light	no	yes	no	yes				no	no	yes		Light is not working. Could not get in touch with neighbors to discuss eliminating	Jolene & Lower James Street	Not available	Possible	Need to discuss with neighbors	
168009	Maple Hill/LeFever Falls	Twn Chg	HPS	16000	intersection	no	average	no	yes	no	yes	yellow/white	average	yes	yes	yes	no	no	reduce					
K0013774	MOSSY BROOK	Twn Chg	MV	20000	intersection	no	average	no	yes	no	no	green	average	yes		yes	no		This is an MV that should be changed out-JM	213 & Mossybrook				
113558 (on map as K0072973)	Mossybrook & Ctr st	Twn Chg	HPS		intersection	no	light	no	yes	no	no	yellow	average	no	yes	yes	no		JM-not on list but on map as K0072973					
K0061725	QUARRY HILL	Twn Chg	MV	7000	no	no		no	no	no	yes					no	yes		Out, concealed, not needed	at end of road		yes		

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
k16718	river rd/32	TwN Chg	HPS	50000	intersection	no	heavy	no	yes	no	no	yellow/white	too bright	no	yes	yes	no						
20172856	PO	TwN Chg	H	36000																			
10172857	ROSENDALE PO	TwN Chg	HSM H	36001																			
20172857	ROSENDALE PO	TwN Chg	HSM H	36002																			
10172858	ROSENDALE PO	TwN Chg	HSM H	36003																			
20172858	ROSENDALE PO	TwN Chg	HSM H	36004																			
10172859	ROSENDALE PO	TwN Chg	HSM H	36005																			
20172859	ROSENDALE PO	TwN Chg	HSM H	36006																			
10172854	ROSENDALE PO	TwN Chg	HSM H	36007																			
20172854	ROSENDALE PO	TwN Chg	HSM H	36008																			
10172855	ROSENDALE PO	TwN Chg	HSM H	36009																			
20172855	PO	TwN Chg	H	36010																			
10172856	ROSENDALE PO	TwN Chg	HSM H	36011																			
105439	RT 213 & BI	TwN Chg	HPS	27000	yes	yes	heavy	yes	yes	no	no					yes	no			at Binnewater			
K0070576	RT 32 & MAIN	TwN Chg	MV	15000	intersection	no	heavy	no	yes	no	no	yellow/white	average	no	yes	yes	no	no	seems unusually brighter than depicted				
K0014765	rt32/romanus	TwN Chg	HPS	27000	intersection	no	heavy	yes	yes	no	no	yellow/white	too bright	no	yes	yes	no						
k14768	Springton/Davis	TwN Chg	HPS	27000	intersection	no	light	no	yes	no	yes	yellow/white	average	no	no	yes	no	no					
K0013616	SPRINGTOWN Springtown	TwN Chg	HPS	58000	yes	no	average	no	yes	no	no	yellow/white	average	yes	yes	yes	no	no					
47414	Rd/Ritters Pond	TwN Chg	HPS	27000	sharp curve	no	average	no	yes	no	yes	yellow/white	average	no	yes	yes	no	no	at Ritters Pond				
K0038246	Springtown/Maple	TwN Chg	HPS	27000	intersection	no	heavy	no	yes	no	no	yellow/white	too bright	no	yes	yes	no	no		entrance to tillson estates			
131712	TAYLOR ST	TwN Chg	MV	7000	intersection	no	heavy	no	yes	no	no	yellow/white	average	no	yes	yes	no	no		at Bloomington FD			
131790	Taylor/Linwood	TwN Chg	MV	7000	intersection	no	light	no	yes	no	no				no	no	no						
K0062576	TILLSON PO	TwN Chg	HPS	27001	yes	yes	heavy	yes	yes	no	no					no	no		Rte 32 & Tillson Rd				

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
no number	Tillson/32	Twn Chg			intersection	no	heavy	yes	yes	no	no	yellow/white	average	no	yes	yes	no	no	404 and 153 on pole	across from Postage Inn/and other street light			
107959	Tillson/Springtown	Twn Chg	HPS	27000	intersection	no	heavy	no	yes	no	no	yellow/white	average	no	yes	yes	no	no		Tillson/Springtown			
k38244	Tillson/TFD	Twn Chg	HPS	27000	intersection	yes	heavy	no	yes	no	no	yellow/white	too bright	no	yes	yes	no	no	at Tillson FD				
167935	BINNEWATER	Village	HPS	5800	yes	no	heavy	no	yes	no	no	orange-yellow	average	yes	no	yes	no	no					
103371	CAMPBELL ST	Village	HPS	5800	no	yes	light	no		no	no	orange-yellow	average	yes	no	yes	no	no	very narrow road				
K0034091	CENTRAL AVE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no					
K0068897	CENTRAL AVE	Village	HPS	5800	yes	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no					
K0068900	CENTRAL AVE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no					
K0068896	CENTRAL AVE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no	in front of historic graveyard				
K0046002	DAVIS ST	Village	HPS	5800	no	yes	light	no	yes	no	no	yellow	average	no	yes	yes	no	no		middle of street	keep light - pedestrian traffic	no	
UH004001	DAVIS ST	Village	HPS	5800	intersection	yes	light	no	yes	no	no	yellow	average	no	yes	yes	no	no		intersection of Davis & Mt View	keep light	no	
K0014770	DAVIS ST	Village	HPS	5800	no	no	light	no	yes	no	no	yellow	average	no	yes	yes	no	no	dead end, dark, 911 security	dead end pedestrian traffic	keep light	no	
168221	Elting (near Verizon)	Village			no	yes	heavy	no		no	no	whitish green	average	no	no	yes	no	no	would be better on other side of street				
UH001584	ELTING ROAD	Village	MV	7000	sharp curve	yes	heavy	no	no	no	yes	whitish green	average	no	no	yes	no	no	see above Pole #103247 (this comment should be up one?) #1584 would be better on other side of road				
103247	Elting/Pine Grove	Village	MV	7000	intersection	no	heavy	no	yes	no	no	yellow	average	no	yes	yes	no	no	bugs, hazy, new pole #	intersection	keep light	no	

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
103239	ELTINGE ROAD	Village	MV	7000	no	no	heavy	no	yes	no	no	white	average	no	yes	yes	yes	no	bugs, dirty, hill, possible elimination	on hill to Mountain Rd (across from Jones' house)	?		yes
103242	ELTINGE ROAD	Village	MV	7000	sharp curve	no	heavy	no	yes	no	no	white	average	no	yes	yes	no	no	bugs, dirty, top of hill, possible elimination	top of hill	keep light	no	
K0015421	ELTINGE ROAD	Village	MV	7000	no	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no	bugs in cover, residents/keep light	straightaway	adamant - keep light	no	
103255	ELTINGE ROAD	Village	MV	7000	sharp curve	no	heavy	no	yes	yes	no	white	average	no	yes	yes	no	no	on a curve near Woodland Drive	on curve near Woodland Dr	keep light	no	
K0052484	ELTINGE ROAD	Village	MV	7000	sharp curve	no	heavy	no	no	no	no	orange	average	no	no	yes	no	no	dim but working, near intersection, needs upgrade	near Sand Hill	needs upgrade	no	
103252	ELTINGE ROAD	Village	MV	7000	no	no	heavy	no	yes	yes	no	white	average	no	yes	yes	no	no	bugs in cover, ped, residents/keep light	near Dirks	pedestrians, bikes, deer - keep light	no	
K014768	ELTINGE ROAD	Village	HPS	5800	intersection	no	heavy	no	yes	no	no	yellow	average	no	yes	yes	no	no	cover hazy, intersection, keep	intersection with Davis St	keep light	no	
103244	ELTINGE ROAD	Village	MV	7000	intersection	no	heavy	no	yes	no	no	yellow	average	no	yes	yes	no	no	bugs in cover	Elting & Wilbur intersection	keep light	no	
103233	FAIRVIEW AVE	Village	HPS	5800	no	yes	light	no		no	no	orange-yellow	average	yes	no	yes	yes	no	middle of dead end road	middle of dead end road		no	yes
K0015750	HARDENBURG	Village	HPS	27000	no	yes	heavy	yes	yes	no	yes	pinkish	average	yes	yes	yes	no	no		by muni lot			
K0065676	HILLSIDE AVE	Village	MV	7000																			
K61733	James	Village	HPS	5800	no	yes	average	no	yes	no	no	yellow	average	yes	yes	yes	maybe	no	if would keep the light in one is considering it as an area where people walk or eliminate if considering cars alone. This is a straight road with a light ahead at stop sign.	James Street, halfway between Parkcrest & Madeline		No	yes

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
105983	James & Parkcrest	Village	HPS	5800	intersection	yes	average	no	no	no	no	yellow	average	no	yes	yes	no	no	The light shines more on Parkcrest than on James street. Could use an additional light on the James Street hill.	James & Parkcrest intersection		No	
123501	JAMES ST	Village	HPS	5800	no	yes	average	no	yes	no	no	white/yellow	average	no	yes	yes	no	no	Light on loop walk (James/Main) near food pantry.	James Street, by food pantry		No	
K0061735	JAMES ST	Village	HPS	5800	intersection	yes	average	no	yes	no	no	white/yellow	average	yes	yes	yes	no	no	Light at intersection of James & Madeline. Some light in yards.	James Street & Madeline Intersection		No	
167919	JAMES ST	Village	HPS	5800	intersection	no	average	no	yes	no					yes	yes	no	no		James and Sand Hill	of James st neighbors about lights, and they all wanted to keep them. They wanted more light on the hill above Park Crest.		
119889	JAMES ST	Village	HPS	5800	no	yes	average	no	no	no					yes	yes	no			117 James St			
K0019302	JAMES ST	Village	HPS	5800	intersection	no	light	no								no	no		Non operating. Consider eliminating with residents ok, corner house.				
K0013062	JAMES ST	Village	HPS	5800	no	yes	average	no	yes	no	no	orange-yellow	average	yes	no	yes	no	no	at end of residential area before hill				
144394	JAMES ST	Village	HPS	5800	intersection	yes	average	no	yes	no	no				yes	yes	no						
144396	JAMES ST	Village	HPS	5800	no	yes	average	no	no	no					yes	yes	no						
K0019304	JAMES ST & ANN	Village	HPS	5800	intersection	no	light	no								no	yes		Non operating. Consider eliminating with residents ok, corner house.	James Street & Ann Intersection		maybe	
123507	JOHN &	Village	HPS	5800	intersection	no	light	no	yes	no					yes	no							

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
K0032695	JOLENE ST	Village	HPS	5800	no	no		yes	no	no		yellow/white				yes	yes		The light is located behind the Rosendale Plaza(Burnt Down), no street, wooded area	End of Jolene behind the plaza that burned down.	The nearest property owner of the plaza says to eliminate it.	Yes	No
CP0075116	JOSEPHINE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no	says "customer property" on pole				
CP0075117	JOSEPHINE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no	says "customer property" on pole				
132459	JOSEPHINE AVE	Village	HPS	5800	no	no	light	no	yes	no	yes	orange-yellow	average	no		yes	yes	no	close to two other st. lights			maybe	
K0034144	JOSEPHINE ST	Village	MV	7000	no	no	light	no	yes	no	no	white	average	no		yes	no	no					
135775	KEATOR AVE	Village	HPS	5800	no	yes	heavy	no	yes	no	no	yellow-orange	average	yes	no	yes	no	no	neighbor wants it eliminated, or else shielded. House across from St. Peters.	Keator across from St. Peter's school entrance			
UH0001532	KEATOR AVE	Village	MV	7000	intersection	yes	heavy	no	yes	no	yes	whitish green	average	no	no	yes	no	yes	light on 24/7	corner of St. Peter's parking lot			
123106	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no					
123107	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
123114	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
131730	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
131734	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
K0015722	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
K0045728	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
K0045995	LAWRENCEVIL L	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
170811	LAWRENCEVIL L	Village	HPS	5800	yes		heavy	no	yes	no	no	white	average	no	yes	yes	no	no	no light on pole, KH			no	no

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
K0063561	MADELINE LN	Village	HPS	5800	no	no	average	no	yes	no	yes	white	average	yes	yes	yes	yes	no	Lots of light in 3 neighboring yards. Area lit by Citgo and lights on 32.	Madeline Lane, halfway b/w James St. & Route 32	? Jen said she would talk with neighbors	No	Yes
105415	MAIN & SCHOOL	Village	HPS	16000	yes	yes	heavy	yes	yes	no	no		average			yes	no	no		Main & Snyder Ave.			
105406	MAIN ST	Village	HPS	16000	yes	yes	heavy	yes	yes	no	no	pink-orange	average	no	yes	yes	no	no					
105408	MAIN ST	Village	HPS	16000	no	yes	heavy	yes	yes	no	yes		yes	no		yes	no	no					
105410	MAIN ST	Village	HPS	16000	yes	yes	heavy	yes	yes	no	yes	pink-orange	too bright	yes	yes	yes	no	no	height and spread of light shines in 2nd story widows of homes				
105413	MAIN ST	Village	HPS	16000	yes	yes	heavy	yes	yes	no	yes	pink-orange	too bright	yes	yes	yes	no	no	height and spread of light shines in 2nd story windows.				
105417	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	yes	pink-orange	too bright	yes	yes	yes	no	no	height and spread of light shines in 2nd story windows				
105419	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105420	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105421	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105422	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105423	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105424	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105425	MAIN ST	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105426	MAIN ST	Village	HPS	16000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105427	MAIN ST	Village	HPS	16000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
105428	MAIN ST	Village	HPS	16000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
106657	MAIN ST	Village	HPS	16000	no	yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					
CP0073201	MAIN ST FD	Village	HPS	16000		yes	heavy	yes	yes	no	no	pink-orange	average		yes	yes	no	no					

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
123866	MOUNTAIN RD	Village	HPS	5800	no	no	average	no		no	no	orange-yellow	average	no	no	yes	yes	no	rural road, no need for light	btw #28 and Burr's crossing		yes	
103236	MOUNTAIN RD	Village	MV	7000	intersection	yes	heavy	no	yes	no	yes	whitish green	average	yes	no	yes	no	no	should shield from house	near Elting intersection			
K0013357	MOUNTAIN RD	Village	HPS	5800	intersection	yes	average	no	yes	no	no	orange-yellow	average	no	no	yes	no	no		at Burrs Crossing			
167290	MOUNTAIN RD	Village	HPS	5800	no	no	average	no	yes	no	no	pinkish		yes	no	yes	no	no	wrong #. Actual # is 167920, and is a 2,500 INC light type	at 22 Mountain Rd.		yes	
167924	MT RD	Village	INC	2500	no	no	average	no		no	no		average	yes	no	no	yes	no	this light is actually a 5,800 SV located near 61 Mountain Road.	btw #59 and #61			
K0061453	MT VIEW & PI	Village	HPS	5800	intersection	yes	light	no	yes	no	no	yellow	average	no	yes	yes	no	no		intersection	keep light - pedestrian traffic	no	
K0065343	MT VIEW AVE	Village	HPS	5800	no	yes	light	no	no								yes		light not working	middle of street - light is out	none	yes	yes
K0069649	PARK CREST E	Village	MV	7000	intersection	no	light	no	yes	no	yes	blue	average	yes	no	yes	maybe	no	no light cover just bulb. Does not match other lights on street. At a T on a lightly used road. Lots of light in yards.	T at Parkcrest Drive & Parkcrest Drive Extension		No	Yes
K0070278	PARK LN	Village	HPS	5800	sharp curve	no	light	no	yes	no	yes	yellow	average	yes	yes	yes	yes	no	light in yard. lightly used road. Owner where most light shines in lawn would like light eliminated. Pole number is K70728	Parkcrest Drive at Curve by 46 Parkcrest	One neighbor in favor, have not spoken to other neighbor. Unlikely in favor.	No	Yes
K0070772	PARK LN	Village	HPS	5800	sharp curve	no	light	no	yes	no	yes	yellow	average	yes	yes	yes	maybe	no	lights in yards. Ask neighbors if they would like light eliminated. Lightly used street.	Parkcrest Drive by circle.	Neighbors like light and do not want it eliminated.	No	Yes
K0031260	PINE GROVE A	Village	HPS	5800	no	yes	light	no	yes	no	no	yellow	average	no	yes	yes	no	no		middle of street	keep light	no	
146518	RT 213	Village	HPS	27000	yes	yes	heavy	no	yes	no	no			no	yes	yes	no	yes	JVI-I was driving by late afternoon, and the light was on. The sensor may need to be adjusted....	near trestle on east end.		no	no

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
105433	RT 213	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
123104	RT 213	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
123108	RT 213	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
131728	RT 213	Village	HPS	5800	yes	yes	heavy	no	yes	no	no	white	average	no	yes	yes	no	no				no	no
182505	RT 213	Village	HPS	5800	yes	yes	heavy	no	yes	no	no		average	no	yes	yes	no	no	not on map				
105930	Rt 32 & Creek Locks	Village	HPS	27000	intersection	yes	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		Marks intersection & plaza entrance, parking	Rt. 32 & Creek Locks R intersection	No interviews business district	NA	NA
103295	Rt 32 & Josephine	Village	MV	20000	no	yes	heavy	yes								no	yes		The light not working. It is in front of the gas station and store. The entire area is light by the gas station and this light is not needed.	Intersection of Josephine Ave. & Rt. 32.	Owner of gas station stated that it should be eliminated.	Yes, already been off and not needed. Area covered by other lighting.	NO
K0017393	Rt 32 & Rt 213 Plaza	Village	HPS	27000	intersection	yes	heavy	yes	no	no						no	yes		Non working light. The light is right next to the traffic light & the few times it did come on it was over shadowed by the traffic light	Intersection of Wine Store Plaza at the intersection of Rt.32 & Rt.213	No interviews business district.	Yes. Not working	No
UH0005135	Rt 32 & Washington	Village	HPS	27000	intersection	no	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	yes		NO CH tag. Has Verizon tag. Marks intersection. Area is covered by other lighting from the gas station across the street.	Intersection of Washington & Rt. 32	No interviews, business district.	Yes	Need to discuss if elimination would cause a safety concern.
K0014754	Rt 32 Associated No	Village	MV	20000	no	no	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		marks plaza north entrance of Associated Plaza. It is the center light of 3 lights in a row on Rt 32 opposite the plaza. Recommend eliminating this light or the next light going north.	Opposite Associated Plaza on Rt. 32.	No interviews, business district		Need to discuss with plaza owner. Also if elimination would cause a safety concern.

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
K0014753	Rt 32 Associated So	Village	HPS	27000	no	no	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		of Associated Plaza. It is the first of 3 lights in a row heading north on Rt. 32 across from the plaza. Recomend keeping this light & eliminating either the center light or the third light which is north.	Opposite Associate d Plaza on Rt. 32.	No interviews		Need to discuss with plaza owner. Also if elimination causes a safety concern
K0069272	Rt 32 Bus Terminal	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		Lights sidewalk at the bus terminal on Rt. 32	Rt.32 Bus terminal across from Rec Center	No interviews business district.	NA	NA
K0058576	Rt 32 James St.	Village	MHC R	14000	intersection	yes	heavy	yes	yes	no	no	white	average	no	yes	yes	no		Intersection & bridge sidewalk. Marks intersection and lights up sidewalk in heavy traffic area.	Intersection of Rt.32 & James Street at south side of bridge.	No interviews	NA	NA
K0069271	Rt 32 Madeline Lane	Village	HPS	27000	intersection	yes	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		Marks intersection of Madeline Lane in front of plaza entrance & parking		No interviews business district	NA	NA
K0067694	Rt 32 Plaza Entrance	Village	HPS	27000	no	yes	heavy	yes	yes	no	no	Yellow	average	no	yes	yes	no		Across from Rosendale Medical. Marks entrance to plaza, opposite sidewalk, business district				
K0172855	RT 32 REC CT	Village	HPS	27000	no	yes			yes	no	no	white	average	no	yes	yes	no	no	Rec ctr. lot, light by concession stand.	Rec Center, light by concession stand.		No	
K32635	RT 32 REC CTR	Village	HPS	27000	no	yes			yes	no	no	white	average	no	yes	yes	no	no	Light in parking lot nearer to Rec Ctr. Bldg.	Rec Center-light closest to building		No	

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?	
K0014755	RT north of plaza	Village	MV	20000	no	no	heavy	yes	no	no	yes	White	average	no	yes	yes	no		No bulb number. Lights up the hill, not needed.	across from Associated Plaza north entrance by diner.	No business district			
K0069277	Rt32 Parkcrest Dr	Village	MV	7000	intersection	no	heavy	no	yes	no	no	White	average	no	yes	yes	no		Marks intersection on a sharp curve	Intersection of Park Crest Dr & Rt.32	No interviews. Light shines onto Rt.32	NA	NA	
115904	SANDHILL RD	Village	HPS	5800	no	no	light	no	no	no						no	yes		not working, and not near any home. Good candidate for elimination.	middle of road		yes		
UH0005109	SCHOOL LN	Village	MV	7000	no	no	light	no	no	no		white	too bright	yes	no	yes	no	no		at dead end of Snyder by creek; left over from school days....		most neighbors were fine with eliminating. One neighbor said light was helpful for unpacking car.		yes
168049	SOUTH ST	Village	HPS	5800	no	no	light	no	no	no						yes	no							
UH0001569	SOUTH ST	Village	MV	7000	intersection	no	light	no	yes	no	yes					no	yes	no	JEN					
113549	SOUTH ST	Village	HPS	5800	intersection	no	light	no	yes	no						yes	no				South & Brown			
UH0001566	SOUTH ST	Village	HPS	5800	no	no	light	no	yes	no						yes	no							
119966	VILLAGE PARK	Village	HPS	27000	no	yes	light	yes		no					no	yes	no	yes	JEN	Willow Kiln				
K0065373	WEST & HILLS	Village	HPS	16000	yes	no	light	no	yes	no	yes	orange-yellow	average	no		yes	no	no						
K0055790	WEST END	Village	HPS	16000	yes	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no						
K0038450	WEST END AVE	Village	HPS	5800	no	no	light	no	yes	no	yes	orange-yellow	average	no		yes	yes	no						
K0037284	WEST END AVE	Village	HPS	5800	no	no	light	no	yes	no	yes	orange-yellow	average	no		yes	no	no						
K0037283	WEST END AVE	Village	HPS	5800	no	no	light	no	yes	no	no	orange-yellow	average	no		yes	no	no						

Town of Rosendale Streetlight Assessment 2013
Complete Survey of Streetlights

Pole #	CH St-Loc	District	CH Type	CH Size	Light at intersection or sharp curve?	Light by sidewalk/pedestrian traffic?	Motor vehicle traffic	Business district?	Covering intended area?	Does light make noise?	Can light size be reduced?	Light color	Glare?	Light pollution?	Light uniformity?	Light operating?	Consider eliminating?	Timer/Sensor wrong?	Notes	Location directions	Neighbors comments regarding possibility of light elimination	Light easily eliminated?	Light needs more discussion before elimination?
K0038451	WEST END AVE	Village	HPS	5800	yes												no	no	37284, 38450, 38451 all close to eachother in low traffic area				
K0055792	WEST ST	Village	HPS	5800	no	no	light	no	yes	no	yes	orange-yellow	average	no		yes	no	no					
K0018245	WILBUR AVE	Village	HPS	5800	no	yes	light	no	yes	no	yes	yellow	too bright	yes	yes	yes	no	no	bright	middle of street	keep light	no	
K0066000	WILBUR AVE	Village	HPS	5800	intersection	yes	light	no	yes	yes	no	yellow	average	no	yes	yes	no	no	dirty	corner of Mountain View	keep light	no	