

# Town Of Rosendale Facility Benchmarking Report Years: 2020-2022

## Benchmarking Overview:

As a Clean Energy Community, the Town of Rosendale participates in the New York State Energy Research and Development Authority (“NYSERDA”) Facility Benchmarking Program. This program provides visibility to our town buildings’ energy use through the online Energy Star Portfolio for each municipal building greater than 1,000 square feet. On an annual basis, the Rosendale Climate Smart Task Force coordinates with Town staff to gather and enter data into the EPA’s Energy Star Portfolio website from which the data below were created.

- Please note that the data reflect the actual consumption of electricity by month, whereas the fuel oil and the propane are recorded when delivered.
- Also please note, Central Hudson’s billing issues are responsible some of the apparent inconsistencies in the monthly electric bills.

One of the goals of the Rosendale Climate Smart Task Force is to assist the town’s efforts to reduce its air and climate pollution while reducing operating expenses. If you have questions about this data or would like to get involved, please contact the Rosendale Environmental Commission at [environmental@townofrosendale.com](mailto:environmental@townofrosendale.com).

### Total GHG emissions for all Municipal Buildings over 1000 sq ft in the Town of Rosendale

	SITE	SITE EUI (kBTU/sqft)	Energy Star	Total GHG Emissions (metric tons CO2)
2021	Highway Office	154.9	34	14.6
2022	Highway Office	149.9	24	13.2
2021	Highway Garage	76.6		17.8
2022	Highway Garage	137.9		31
2021	Rosendale Community Center	19.5		7
2022	Rosendale Community Center	57.1		15
2021	Rosendale Water	86.5		6.6
2022	Rosendale Water	302.6		19.8

<b>2021</b>	Rosendale Sewer	66		6.4
<b>2022</b>	Rosendale Sewer	236.5		19.8
<b>2021</b>	Rondout Municipal Center	57.4	94	79.9
<b>2022</b>	Rondout Municipal Center	94.7	40	107.9

